L Number	Hits	Search Text	DB	Time stamp
-	2655	((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230)).CCLS.	USPAT; US-PGPUB	2004/08/26 15:14
-	2106	(((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230)).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:18
-	273	wireless and communication and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:35
-	273	(wireless and communication and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:43
-	9	((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230)).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and ((wireless and communication and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:11
-	321	wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:50
-	2731	((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.	USPAT; US-PGPUB	2004/08/26 15:15
-	3588	(340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.	USPAT; US-PGPUB	2004/08/26 15:18
-	4946	(((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.) or ((340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:50
-	15	(((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.) or ((340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:19
-	6	((((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.) or ((340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer)))) not (((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230)).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and ((wireless and communication and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:20

-	20	(wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and pager and power near10 sav$3 and battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:21
-	18	((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and pager and power near10 sav$3 and battery) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:11
-	7	(((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and pager and power near10 sav$3 and battery) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.) or ((340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:21
-	10	((((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.) or ((340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer)))) not (((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230)).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and ((wireless and communication and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and beacon and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))))) or ((((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and pager and power near10 sav$3 and battery) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (((((370/310) or (370/311) or (370/312) or (370/313) or (709/237) or (709/230) or (370/310.1) or (370/310.2)).CCLS.) or ((340/7.$2 or 455/343.$ or 370/313 or 455/38.$).ccls.)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:21
-	192	(wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 10:54
-	48	((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 10:54
-	7	((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) with (base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:12

-	259	(340/7.21).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:11
-	239	((340/7.21).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:12
-	16	(((340/7.21).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:13
-	4	(((340/7.21).CCLS.) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) with (base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:15
-	192	(wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:08
-	52	((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:13
-	7	((wireless and communication and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer))) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) with (hub or base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:02
-	100	(adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:12
-	0	((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (pilot adj signal or beacon) and acknowledg$5 and (portal or celluar adj3 phone or pager or portable adj3 (device or PC or computer)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:31
-	78	((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:30
-	0	(((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:30
-	0	(((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and IEEE adj 802.11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:31

-	2	((((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:12
-	0	((((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and WLAN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:36
-	0	((((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and pager	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:36
-	10	((((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:37
-	2901	(wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:10
-	0	(09/528,697).an.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:11
-	80	((wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:12
-	0	((adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power) near5 (hub or distributor)) and (((wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:12
-	5	((((wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power)) and hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:14
-	0	((((wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power)) and distributor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:14
-	29	(((wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:29
-	8	((((wireless adj local adj area adj network or WLAN) and (@AD<20010424 or @RLAD<20010424 or @PRAD<20010424)) and (pilot adj signal or beacon) and acknowledg$5) and (adjust$3 or increas$3 or reduc$3 or decreas$3 or boost$3) near10 (signal or transmit$4) near3 (strength or power)) and infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:30

-	7	(("6631123") or ("20010055283") or ("6587034") or ("6389034") or ("5371734") or ("6351468") or ("20020105970")).PN.	USPAT; US-PGPUB	2004/08/30 15:53